L Number	Hits	Search Text	DB	Time stamp
-	476	3-key encryption and 713/193.ccls.	USPAT;	2004/01/02 10:39
		7	US-PGPUB;	
		··	EPO; JPO;	
			DERWENT;	
_	2116	encrypted adjl key	IBM_TDB USPAT;	2004/01/02 10:39
	2110	encrypted adjr key	US-PGPUB;	2004/01/02 10.39
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	92	(encrypted adj1 key) and (3-key encryption	USPAT;	2004/01/02 10:44
		and 713/193.ccls.)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	o	((encrypted adj1 key) and (3-key	IBM_TDB USPAT;	2004/01/02 10:45
_	١	encryption and 713/193.ccls.)) and	US-PGPUB;	2004/01/02 10.45
		(encrypt\$4 adj1 condition adj1 (info	EPO; JPO;	
		information))	DERWENT;	
			IBM TDB	
-	32	((encrypted adjl key) and (3-key	USPĀT;	2004/01/02 10:48
		encryption and 713/193.ccls.)) and	US-PGPUB;	
		(encrypt\$4 adj1 (info information))	EPO; JPO;	
		·	DERWENT;	
_	1	(((encrypted adjl key) and (3-key	IBM_TDB USPAT;	2004/01/02 10:50
-		encryption and 713/193.ccls.)) and	US-PGPUB;	2004/01/02 10.30
		(encrypt\$4 adjl (info information))) and	EPO; JPO;	
		((multiple multi) adj1 key near3	DERWENT;	
		encrypt\$4)	IBM TDB	
-	5	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/01/02 10:55
		encryption and 713/193.ccls.)) and "key 1"	US-PGPUB;	
		and "key 2"	EPO; JPO;	
		·	DERWENT;	
	3	((encrypted adj1 key) and (3-key	IBM_TDB USPAT;	2004/01/02 11:02
		encryption and 713/193.ccls.)) and "key 1"	US-PGPUB;	2004/01/02 11:02
		and "key 2" and "recording medium"	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	39	713/193.ccls. and (read\$4 near3 key near3	USPAT;	2004/01/02 12:55
		("storage unit" memory))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	4	(713/193.ccls. and (read\$4 near3 key near3	USPAT;	2004/01/02 11:23
		("storage unit" memory))) and (read\$4	US-PGPUB;	
		near3 (key data "encryption info") near3	EPO; JPO;	
		"recording medium")	DERWENT;	
		C027005	IBM_TDB	2004/01/02 11 62
-	2	6237095.pn.	USPAT;	2004/01/02 11:23
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	188	713/193.ccls. and @pd<=19990427	USPAT;	2004/01/02 11:46
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	0	//713/103 cole and And/-10000427 \	IBM_TDB USPAT;	2004/01/02 11:51
-		((713/193.ccls. and @pd<=19990427) and (read\$4 near3 key near3 (memory "storage	US-PGPUB;	2004/01/02 11:51
		unit"))) and (read\$4 near3 (key and	EPO; JPO;	
		(encrypt\$4 near3 info) and data) near3	DERWENT;	
		"recording medium")	IBM_TDB	
-	0	(Carrier and Carr	USPĀT;	2004/01/02 13:58
		(read\$4 near3 key near3 (memory "storage	US-PGPUB;	
		unit"))) and (read\$4 near3 (key (encrypt\$4	EPO; JPO;	
		near3 info) data) near3 "recording medium")	DERWENT; IBM TDB	
		meatum /	מתו הוסד	<u> </u>

[-	6342	<pre>(read\$4 near3 (key (encrypt\$4 near3 info) data) near3 "recording medium")</pre>	USPAT; US-PGPUB;	2004/01/02 11:52
		•	EPO; JPO; DERWENT;	
			IBM TDB	
-	34	((read\$4 near3 (key (encrypt\$4 near3 info)	USPAT;	2004/01/02 11:52
		data) near3 "recording medium")) and (read\$4 near3 key near3 (memory "storage	US-PGPUB; EPO; JPO;	
		unit"))	DERWENT;	
_	11	(((read\$4 near3 (key (encrypt\$4 near3	IBM_TDB USPĀT;	2004/01/02 11:53
		info) data) near3 "recording medium")) and	US-PGPUB;	
		<pre>(read\$4 near3 key near3 (memory "storage unit"))) and @pd<=19992704</pre>	EPO; JPO; DERWENT;	
			IBM_TDB	
-	8	(713/193.ccls. and @pd<=19990427) and (read\$4 near3 key near3 (memory "storage	USPAT; US-PGPUB;	2004/01/02 12:03
		unit"))	EPO; JPO;	
			DERWENT; IBM TDB	
-	0	705/571.ccls.	USPAT;	2004/01/02 12:03
			US-PGPUB; EPO; JPO;	
			DERWENT;	
	0	713/193.ccls. and (read\$4 near3 (encript\$4	IBM_TDB USPAT;	2004/01/02 13:56
		adjl key) near3 ("storage unit" memory))	US-PGPUB;	2004/01/02 15.50
			EPO; JPO; DERWENT;	:
			IBM_TDB	
-	0	<pre>(read\$4 near3 (encript\$4 adj1 key) near3 ("storage unit" memory))</pre>	USPAT; US-PGPUB;	2004/01/02 13:56
		(Storage unit memory)	EPO; JPO;	
			DERWENT; IBM TDB	
_	0	(stor\$4 near3 (encript\$4 adj1 key) near5	USPĀT;	2004/01/02 13:57
		("storage unit" memory))	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	2	(stor\$4 same (encript\$4 adj1 key) same	IBM_TDB USPAT;	2004/01/02 13:58
		("storage unit" memory))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	1	<pre>(read\$4 same (encript\$4 adj1 key) same ("storage unit" memory))</pre>	USPAT; US-PGPUB;	2004/01/02 13:58
		,	EPO; JPO;	
			DERWENT; IBM TDB	
-	6342		USPĀT;	2004/01/02 13:59
		data) near3 "recording medium")	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	11592	(encrypt\$4 near3 key) same (us\$3 near3	IBM_TDB USPAT;	2004/01/02 14:00
		key)	US-PGPUB;	
			EPO; JPO; DERWENT;	
	100	//	IBM_TDB	2004/01/02 14:10
-	106	((read\$4 near3 (key (encrypt\$4 near3 info) data) near3 "recording medium")) and	USPAT; US-PGPUB;	2004/01/02 14:10
		((encrypt\$4 near3 key) same (us\$3 near3	EPO; JPO;	
		key))	DERWENT; IBM TDB	
-	526	(re-encrypt\$4 reencrypt\$3) near3 key	USPĀT;	2004/01/02 14:44
			US-PGPUB; EPO; JPO;	
			DERWENT;	
L	l	<u> </u>	IBM TDB	l

-	9	(((read\$4 near3 (key (encrypt\$4 near3	USPAT;	2004/01/02 14:11
		info) data) near3 "recording medium")) and	US-PGPUB;	1
		((encrypt\$4 near3 key) same (us\$3 near3	EPO; JPO;	
		key))) and ((re-encrypt\$4 reencrypt\$3)	DERWENT;	1
1_	1	near3 key) "6360320".PN.	IBM_TDB USPAT	2004/01/02 14:24
1 _	1	"6343281".PN.	USPAT	2004/01/02 14:24
_	1	"6070799".PN.	USPAT	2004/01/02 14:27
_	1	"5923754".PN.	USPAT	2004/01/02 14:28
_	1	"5784460".PN.	USPAT	2004/01/02 14:30
_	1 1	"5754649".PN.	USPAT	2004/01/02 14:41
_		"5892900".PN.	USPAT	2004/01/02 14:41
_	105	((re-encrypt\$4 reencrypt\$3) near3 key) and	USPAT;	2004/01/02 14:45
		"information processing"	US-PGPUB;	!
1			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	(((re-encrypt\$4 reencrypt\$3) near3 key)	USPAT;	2004/01/02 14:51
		and "information processing") and	US-PGPUB;	
		("recording medium" and "storage unit" and	EPO; JPO;	1
		"type 1 key" and "type 2 key")	DERWENT;	
1_	0	(((re-encrypt\$4 reencrypt\$3) near3 key)	IBM_TDB USPAT;	2004/01/05 06:56
-	1	and "information processing") and	US-PGPUB;	2007/01/03 00:36
	1	("recording medium" and "storage unit" and	EPO; JPO;	
	1	"encryption key")	DERWENT;]
	1		IBM TDB	1
-	1	"5892900".PN.	USPAT	2004/01/02 15:09
-	4498	713.clas. and (encrypt\$4 near3 key)	USPAT;	2004/01/05 06:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	491	(713.clas. and (encrypt\$4 near3 key)) and	USPAT;	2004/01/05 06:59
		(reencrypt\$4 re-encrypt\$4)	US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	į l
_	2	((713.clas. and (encrypt\$4 near3 key)) and	IBM_TDB USPAT;	2004/01/05 07:06
-		(reencrypt\$4 re-encrypt\$4)) and (encrypt\$4	US-PGPUB;	2004/01/03 07:00
		near3 info)	EPO; JPO;	
		110020 11120,	DERWENT;	
	,		IBM TDB	
_	1	"6275936".PN.	USPĀT	2004/01/05 07:02
-	50	((713.clas. and (encrypt\$4 near3 key)) and	USPAT;	2004/01/05 07:41
	1	(reencrypt\$4 re-encrypt\$4)) and (control\$4	US-PGPUB;]
	1	near3 access near3 data)	EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	
~	1	"5586186".PN.	USPĀT	2004/01/05 07:10
1 -	0	((713.clas. and (encrypt\$4 near3 key)) and	USPAT;	2004/01/05 07:42
	1	(reencrypt\$4 re-encrypt\$4)) and (data adj1	US-PGPUB; EPO; JPO;	
	1	usage adj1 control).ti.	DERWENT;	
	1		IBM TDB	
-	0	((713.clas. and (encrypt\$4 near3 key)) and	USPAT;	2004/01/05 07:42
	1	(reencrypt\$4 re-encrypt\$4)) and (data adj1	US-PGPUB;	
	1	usage adjl control).ab.	EPO; JPO;	
	1	, ,	DERWENT;	
	1		IBM TDB	
-	0	((713.clas. and (encrypt\$4 near3 key)) and	USPĀT;	2004/01/05 07:42
1		(reencrypt\$4 re-encrypt\$4)) and (data adj1	US-PGPUB;	
	1	control).ab.	EPO; JPO;	
	1		DERWENT;	
	_		IBM_TDB	
-	0	((713.clas. and (encrypt\$4 near3 key)) and	USPAT;	2004/01/05 07:55
		(reencrypt\$4 re-encrypt\$4)) and (data adj1	US-PGPUB;	
	1	control).ti.	EPO; JPO;	
1	1		DERWENT;	
L	L	L	IBM_TDB	

-	0	((713.clas. and (encrypt\$4 near3 key)) and	USPAT;	2004/01/05 07:56
]		<pre>(reencrypt\$4 re-encrypt\$4)) and (protect\$4 near3 data near3 (several same keys)).ti.</pre>	US-PGPUB; EPO; JPO;	
		nears data nears (severar same keys)).tr.	DERWENT;	
			IBM TDB	
-	0	((713.clas. and (encrypt\$4 near3 key)) and	USPĀT;	2004/01/05 07:56
		(reencrypt\$4 re-encrypt\$4)) and (protect\$4	US-PGPUB;	
		near3 data near3 (several same keys))	EPO; JPO;	
			DERWENT;	
_	2	((713.clas. and (encrypt\$4 near3 key)) and	IBM_TDB USPAT;	2004/01/05 07:58
-	۔ ا	(reencrypt\$4 re-encrypt\$4)) and (encrypt\$4	US-PGPUB;	2004,01,03 07.30
		near3 data near3 (several same keys))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/01/05 03 50
-	53	((713.clas. and (encrypt\$4 near3 key)) and	USPAT;	2004/01/05 07:59
		<pre>(reencrypt\$4 re-encrypt\$4)) and (read\$4 near3 encrypt\$4 near3 data)</pre>	US-PGPUB; EPO; JPO;	
		nears enerypess nears data;	DERWENT;	
			IBM TDB	
_	491	((713.clas. and (encrypt\$4 near3 key)) and	USPĀT;	2004/01/05 07:59
		(reencrypt\$4 re-encrypt\$4)) and (encrypt\$4	US-PGPUB;	
1		near3 key)	EPO; JPO;	
			DERWENT; IBM TDB	
_	53	(((713.clas. and (encrypt\$4 near3 key))	USPAT;	2004/01/05 08:00
		and (reencrypt\$4 re-encrypt\$4)) and	US-PGPUB;	
	1	(read\$4 near3 encrypt\$4 near3 data)) and	EPO; JPO;	
		(encrypt\$4 near3 key)	DERWENT;	
	0	((((713.clas. and (encrypt\$4 near3 key))	IBM_TDB USPAT;	2004/01/05 08:00
-	"	and (reencrypt\$4 re-encrypt\$4)) and	US-PGPUB;	2004/01/03 00.00
		(read\$4 near3 encrypt\$4 near3 data)) and	EPO; JPO;	
		(encrypted near3 key)) and (encrypt\$4	DERWENT;	
		near3 info)	IBM_TDB	0004/01/05 00 00
-	0	((((713.clas. and (encrypt\$4 near3 key))	USPAT; US-PGPUB;	2004/01/05 08:00
		and (reencrypt\$4 re-encrypt\$4)) and (read\$4 near3 encrypt\$4 near3 data)) and	EPO; JPO;	
		(encrypted near3 key)) and (encryption	DERWENT;	
		near3 info)	IBM_TDB	
-	48	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT;	2004/01/05 08:31
		and (reencrypt\$4 re-encrypt\$4)) and	US-PGPUB;	
		(read\$4 near3 encrypt\$4 near3 data)) and (encrypted near3 key)	EPO; JPO; DERWENT;	
		(cherypeed hears key)	IBM TDB	
-	0	(((713.clas. and (encrypt\$4 near3 key))	USPAT;	2004/01/05 08:32
		and (reencrypt\$4 re-encrypt\$4)) and	US-PGPUB;	
		(read\$4 near3 encrypt\$4 near3 data)) and	EPO; JPO;	
		(encrypted near3 condition adj1 info)	DERWENT; IBM TDB	
_	643	713/193.ccls.	USPAT;	2004/01/05 10:16
	0.5		US-PGPUB;	-, -,
			EPO; JPO;	
			DERWENT;	
	106	713/193.ccls. and "recording medium"	IBM_TDB USPAT;	2004/01/05 10:17
_	100	7.137.193.cc13. and recording medium	US-PGPUB;	2003/01/03 10:1/
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0004/01/05 10 50
-	0	(713/193.ccls. and "recording medium") and	USPAT; US-PGPUB;	2004/01/05 10:19
		((data content) and (encrypted adj1 key) and (encrypted adj1 condition adj1	EPO; JPO;	
		information))	DERWENT;	
			IBM_TDB	
-	0	(713/193.ccls. and "recording medium") and	USPAT;	2004/01/05 10:19
	1	((data content) and (encrypting adj1 key)	US-PGPUB;	
	1	and (encrypted adjl condition adjl information))	EPO; JPO; DERWENT;	
			IBM TDB	
L	<u> </u>	<u> </u>		

-	2	(713/193.ccls. and "recording medium") and	USPAT;	2004/01/05 10:28
		((data content) and (encrypting adjl key)	US-PGPUB;	
		and (encrypted adjl information))	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	(713/193.ccls. and "recording medium") and	USPAT;	2004/01/05 10:29
		((data content) and (encrypting adj1 key)	US-PGPUB;	
		and (encrypted adj1 condition))	EPO; JPO;	
			DERWENT;	
		(712/1021	IBM_TDB	2004/01/05 10:31
-	1	(713/193.ccls. and "recording medium") and	USPAT; US-PGPUB;	2004/01/05 10:31
		((data content) and (encryption adj1 key) and (encrypted adj1 condition))	EPO; JPO;	
		and (encrypted adji condition))	DERWENT;	
			IBM TDB	
_	1	(713/193.ccls. and "recording medium") and	USPAT;	2004/01/05 10:31
	_	((encrypted adjl condition))	US-PGPUB;	2001, 01, 00 10.01
		((cherypeed days condition,)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	o	(713/193.ccls. and "recording medium") and	USPAT;	2004/01/05 11:34
		((encrypt\$3 adj1 condition adj1 info))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(713/193.ccls. and "recording medium") and	USPĀT;	2004/01/05 11:37
		((encrypt\$3 adjl condition adjl info) same	US-PGPUB;	
		record\$3 same "recording medium")	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	91	(713/193.ccls. and "recording medium") and	USPAT;	2004/01/05 11:39
		(((encrypt\$3 adj1 info) (data content)	US-PGPUB;	
		"encryption key") same "recording medium")	EPO; JPO;	!
			DERWENT;	
			IBM_TDB	0004/01/05 10 01
-	92	(713/193.ccls. and "recording medium") and	USPAT;	2004/01/05 12:31
		(((encrypt\$3 adj1 info) (data content)	US-PGPUB;	
		"encrypted key") same "recording medium")	EPO; JPO; DERWENT;	
			IBM TDB	
l <u>-</u>	10	380/201.ccls. and (713/193.ccls. and	USPAT;	2004/01/05 12:57
	10	"recording medium") and (((encrypt\$3 adj1	US-PGPUB;	2001,01,00 12101
		info) (data content) "encrypted key") same	EPO; JPO;	
		"recording medium")	DERWENT;	
		,	IBM TDB	
-	1		USPĀT	2004/01/05 12:35
-	1		USPAT	2004/01/05 12:36
-	175	380/201,281-284,45.ccls. and (((encrypt\$3	USPAT;	2004/01/05 13:27
		adjl info) (data content) "encrypted key")	US-PGPUB;	
		same "recording medium")	EPO; JPO;	
			DERWENT;	
	_	1,000,4004,004,004,45	IBM_TDB	0004/01/05 10 50
-	8	(380/201,281-284,45.ccls. and (((encrypt\$3	USPAT;	2004/01/05 12:59
		adjl info) (data content) "encrypted key")	US-PGPUB;	
		same "recording medium")) and "software	EPO; JPO;	
		application"	DERWENT;	
	,		IBM_TDB USPAT	2004/01/05 13:03
	1 71	(380/201,281-284,45.ccls. and (((encrypt\$3	USPAT;	2004/01/05 13:03
-	'1	adjl info) (data content) "encrypted key")	US-PGPUB;	2004/01/03 13:30
		same "recording medium")) and (protect\$4	EPO; JPO;	
		same (data content) same encrypt\$4)	DERWENT;	
		band (adda content) band onerypeys)	IBM TDB	
-	63	((380/201,281-284,45.ccls. and	USPAT;	2004/01/05 13:31
		(((encrypt\$3 adj1 info) (data content)	US-PGPUB;	
		"encrypted key") same "recording medium")	EPO; JPO;	
) and (protect\$4 same (data content) same	DERWENT;	
		encrypt\$4)) and (encrypt\$4 same key)	IBM TDB	
	•	4	• — — — — — — — — — — — — — — — — — — —	

-	44	((380/201,281-284,45.ccls. and	USPAT;	2004/01/05 13:32
		(((encrypt\$3 adjl info) (data content)	US-PGPUB;	
		<pre>"encrypted key") same "recording medium")</pre>	EPO; JPO;	
İ) and (protect\$4 same (data content) same	DERWENT;	
i		encrypt\$4)) and (encrypt\$4 adj1 key)	IBM TDB	
_	19		USPAT;	2004/01/05 13:52
		(((encrypt\$3 adj1 info) (data content)	US-PGPUB;	
		"encrypted key") same "recording medium")	EPO; JPO;	
) and (protect\$4 same (data content) same	DERWENT;	
		encrypt\$4)) and (encrypted adj1 key)	IBM TDB	
l _	l 0	((380/201,281-284,45.ccls. and	USPAT:	2004/01/05 13:52
i -		(((encrypt\$3 adjl info) (data content)	US-PGPUB;	2004/01/05 15.52
		"encrypted key") same "recording medium")	EPO; JPO;	
İ) and (protect\$4 same (data content) same	DERWENT;	
		encrypt\$4)) and (encrypted adj1 key) and	IBM_TDB	
		((multi multiple) adjl key)		0004/01/06 10:00
-	0	((380/201,281-284,45.ccls. and	USPAT;	2004/01/06 10:00
Ì		(((encrypt\$3 adj1 info) (data content)	US-PGPUB;	
		"encrypted key") same "recording medium")	EPO; JPO;	
) and (protect\$4 same (data content) same	DERWENT;	1 I
		encrypt\$4)) and (encrypted adj1 key) and	IBM_TDB	
		(encrypt\$4 adj1 info)	-	
-	7	(380/201,281-284,45.ccls. and (execut\$4	USPAT;	2004/01/06 10:05
		<pre>near3 (encrypted adj1 program)))</pre>	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM TDB	
_	0	(380/201,281-284,45.ccls. and (execut\$4	USPAT;	2004/01/06 10:06
	1	near3 (encrypted adj1 program)) and	US-PGPUB;	-001, 01, 00 10.00
	I	(updat\$4 near3 key))	EPO; JPO;	
	I		DERWENT;	
	_	/200/001 001 004 45 3	IBM_TDB	2004/01/05 10 05
~	0	(380/201,281-284,45.ccls. and (execut\$4	USPAT;	2004/01/06 10:07
		near3 (encrypted adj1 program)) and	US-PGPUB;	
	[(renew\$4 near3 key))	EPO; JPO;	
1	1	· ·	DERWENT;	
1			IBM_TDB	
-	1	(380/201,281-284,45.ccls. and (execut\$4	USPAT;	2004/01/06 11:04
		near3 (encrypted adj1 program)) and	US-PGPUB;	
		(change\$4 near3 key))	EPO; JPO;	
		<u>-</u>	DERWENT;	
			IBM TDB	
-	1		USPĀT	2004/01/06 10:27
-	1		USPAT	2004/01/06 10:30
1 -	1 1		USPAT	2004/01/06 10:32
-	3	((380/201,281-284,45.ccls. and (execut\$4	USPAT;	2004/01/06 10:35
	ı	near3 (encrypted adj1 program)))) and	US-PGPUB;	
		(encrypted adj1 key)	EPO; JPO;	
1		(chorypeed daji key)	DERWENT;	
	,		IBM_TDB USPAT	2004/01/06 10:39
-	1	/shansack nasna /	N .	
-	381	(change\$4 near3 (encryption adj1 key))	USPAT;	2004/01/06 11:14
1	1		US-PGPUB;	
1	1		EPO; JPO;	
1	1		DERWENT;	
	_		IBM_TDB	
-	49	((change\$4 near3 (encryption adj1 key)))	USPĀT;	2004/01/06 11:18
1		and (updat\$4 near3 (encryption adj1 key))	US-PGPUB;	
			EPO; JPO;	
1	1		DERWENT;	
1			IBM TDB	
_	8	((change\$4 near3 (encryption adj1 key)))	USPAT;	2004/01/06 11:46
		and (updat\$4 near3 (encryption adj1	US-PGPUB;	-552, 52, 55 12.10
1	1	key))and (ensur\$3 near3 security)	EPO; JPO;	
		key//and (ensury) hears security)	DERWENT;	
	1	C00C1CE	IBM_TDB	0004/01/07 13:10
-	2	6026165.pn.	USPAT;	2004/01/07 13:19
	1		US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
L			IBM TDB	

-	220	713.clas. and ((renew\$4 Updat\$4 chang\$4	USPAT;	2004/01/07 13:20
		regenerat\$4 re-generat\$4) near3	US-PGPUB;	
		(encryption adj1 key))	EPO; JPO;]
			DERWENT;	İ
			IBM TDB	
-	756		USPAT;	2004/01/07 13:21
		re-generat\$4) near3 (encryption adj1 key))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	83	(re-encrypt\$4 near3 (encryption adj1 key))	USPAT;	2004/01/07 13:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	11	1 , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/01/07 13:21
}		key))) and (((renew\$4 Updat\$4 chang\$4	US-PGPUB;	
		regenerat\$4 re-generat\$4) near3	EPO; JPO;	i
		(encryption adjl key)))	DERWENT;	
			IBM_TDB	
-	1		USPAT	2004/01/07 13:25
-	1		USPAT	2004/01/07 13:27
	1		USPAT	2004/01/07 13:27